

### About Us

Aqua Cooler is a proudly Australian-based and -owned manufacturer of drinking water coolers and industrial process water chillers. We are based in Chester Hill, NSW and employ over 30 factory workers, technicians, sales and support staff.

When you purchase an Aqua Cooler product, you are safely relying on 50+ years of history and experience in the industry. No other brand in the Australian market can offer the same attention to detail and quality. When you see the Aqua Cooler logo you can have complete confidence that only the highest quality materials were used and that it was made by workers with the most experience and knowledge in the industry.

Don't accept anything but the absolute best. Don't accept anything but an Aqua Cooler product.

### Bottled Water Coolers

Our freestanding bottled water coolers are reliable with a quality design that suits home or office use. Available with two taps for refreshing cool chilled water, or for those that prefer ambient drinking water, room temperature cook water.

### Mains Connected Water Coolers

Our Mains Connected water coolers offer flexibility with a wide range of different styles and configurations available to suit any requirement.

### Our Mission

It is our mission to be Australia's first choice when it comes to water cooler related products. And for our products to be known within Australia and all around the world for their excellence in quality, performance and reliability.

### Our Values

Our values are centred around loyalty, growth, energy and integrity, and built upon a foundation of team work.

### Member of the ABWI

Aqua Cooler is a long-standing member of the Australasian Bottle Water Institute Inc. ABWI, the peak industry council and certifying organisation for water bottlers in Australia.



# M Series Mains-Connected Coolers

## Sturdy and Stylish Design Built to Industrial Standards for Reliability and High Demand

M Series water coolers are Aqua Cooler's most popular mains-connected water cooler. Featuring a sturdy design with stainless steel top, these coolers are both stylish and reliable.

The M Series units can be found in schools, construction sites, hospitals, factories and many other environments where a drinking water outlet is required.

The bubbler is rated to supply 1.7 litres per minute at mains water pressure of between 140 and 700kPa. An automatic self-regulating control is fitted to overcome varying mains pressure.

A taste and odour filter is fitted (on specific models - see selection chart). This compact filter removes taste, odour and chlorine. The filter is a proprietary, carbon-block filter of greater density with a 5 micron filtration pad to prevent carbon and sediment bypass. The snapseal filter features an SQC Sanitary Quick Change design for easy installation and cartridge changes. A dual "O" ring, a bayonet lock system, ensures product performance. These filters are for use with potable water only.

The front panel removes to give instant access to all components and controls. "Hassle Free" filter changes and services can be undertaken without disconnecting the plumbing.

**Contact us for a comprehensive list of parts available for this model.**



# Selection Chart

Cabinet	Filtered	10 L/h		19 L/h		26 L/h	
		0 - 15 People (Approximately)		15 - 40 People (Approximately)		40 - 80 People (Approximately)	
		Bubbler	w/ Glass Filler	Bubbler	w/ Glass Filler	Bubbler	w/ Glass Filler
Colour-Bond	No	M2	M3	M4	M5	M10	M11
	Yes	M2F	M3F	M4F	M5F	M10F	M11F
Stainless Steel	No	N/A	N/A	M4SS	M5SS	M10SS	M11SS
	Yes	N/A	N/A	M4FSS	M5FSS	M10FSS	M11FSS



**Stainless Steel model available with and without Glass Filler**



**Colour-Bond model available with and without Glass Filler**

## Specifications

Type	Free Standing
Connections	Inlet - 1/2" male BSP Outlet - 40mm female FPVC pipe
Reservoir	1.5 L - 304 stainless steel
Refrigeration	M2/M3 - 250 gm - R134A M4/M5 - 190 gm - R134A M10/M11 - 127 gm - R134A
Outlet Temperature	Cold (10°C)
Temperature Control	Factory pre-set
Compressors	M2/M3 - 1/8 hp capacity 138 watts M4/M5 - 1/5 hp capacity 230 watts M10/M11 - 1/4 hp capacity 430 watts
Condenser	Copper tube and expanded aluminium fin
Electrical	240 volts, 50Hz w/ 2 metre cable
Performance to ARI 1010-94 Standard	Inlet water - 26.7°C, Outlet water - 10°C, Ambient air - 32.2°C
Weight (Packed)	M2/M3 - 26 kg, M4/M5 - 28 kg, M10/M11 - 30 kg
Dimensions (mm)	350 L x 350 W x 1100 H
Warranty	1 year - comprehensive coverage, 5 years - compressor replacement.
Notes	With water pressure above 700 kpa, a pressure reduction valve should be fitted.

# WM Series Wall-Mounted Drinking Water Fountain

## Out-of-the-Way Industrial Quality Water Coolers

Mounted on the wall and especially designed for areas where floor space is highly valued or for small spaces, the WM Series is ideal for easy access by people in wheelchairs or for children.

Contact us for a comprehensive list of parts available for this model.



Specifications	
Type	Wall Mounted
Max Cooling (L/h)	8
Outlet Temperature	Cold (10°C)
Reservoir	0.5 L
Refrigeration	170 gm - R134a
Connections	Inlet - 1/2" male BSP Drain Outlet - 5/8" BSP
Water Flow Control	Bubbler - 1.7 L / minute
Temperature Control	Factory pre-set
Compressor	1/8 hp - 90 watt
Condenser	Copper tube w/ aluminium fin
Electrical	240 volts - 50 Hz w/ 2 metre cable
Performance	ARI 1010-94 STANDARD
Weight (Packed)	31 kgs
Dimensions (mm)	300 L x 300 W x 550 H
Warranty	1 year - comprehensive coverage, 5 years - compressor replacement.
Notes	<ol style="list-style-type: none"> <li>1. Minimum 75 mm on both sides to facilitate air-flow.</li> <li>2. With water pressure above 700 kPa, a pressure reduction valve should be fitted.</li> </ol>

Selection Chart		
Cabinet	Bubbler	w/ Glass Filler
Colour-Bond	WM2	WM3
Stainless Steel	WM2SS	WM3SS



Wall-mounted side showing mounting points



Available in Colour-Bond and Stainless Steel, with and without Glass Fillers



## UH Series Under Bench Hot and Drinking Water System

Under Bench Water Heaters are installed "out of sight" under a kitchen sink to provide instant hot water through the included stylish chrome faucet. Also included is a programmable electronic timer. If chilled water is also required, the Hydra Master can also be installed with an optional Under Bench Water Cooler.

**Contact us for a comprehensive list of parts available for this model.**

Specifications	
Product Code	UH1
Type	Under Bench
Max Heating (L/h)	11.25
Outlet Temperature	Hot (95°C)
Cabinet	White
Filtered	No



UH1 Shown with Bench Tap Fitting



## UB Series Under Bench

### Where Floor Space is at a Premium

Where floor space is at a premium, Under Bench Water Coolers can be installed out-of-sight, usually under a kitchen sink. Chilled water is supplied through a tap on the sink or through a glass filler which can also be installed onto the sink for handy refills of water bottles.

**Contact us for a comprehensive list of parts available for this model.**



UB3

UB1

UB2



Specifications	
Cabinet	White
Type	Under Bench
Outlet Temperature	Cold (10°C)
Reservoir	UB1 - 0.8 L, UB2 - 1.5 L, UB3 - 0.8 L
Refrigeration	R134a
Connections	Inlet - 6.2 mm OD tube Outlet - 6.2 mm OD tube
Temperature Control	Factory pre-set
Compressor	UB1 - 1/8 hp nominal capacity UB2 - 1/5 hp nominal capacity UB3 - 1/16 hp nominal capacity
Electrical	240 volts, 50 Hz, w/ 2 metre cable
Performance	Water Inlet – 26.7°C Water Outlet – 10°C Ambient Air – 32.2°C
Weight (Packed)	UB1/15 kg, UB2/21.5 kg, UB3/13 kg
Dimensions (mm)	UB1 – 315 W x 365 H x 415 L UB2 – 340 W x 535 H x 440 L UB3 – 315 W x 187 H x 415 L
Notes	1. Optional Extra: Z-3019 Glass Filler for fitment to sink. 2. It is recommended that all products be vented to allow maximum air flow over the compressor. The UB2 has a vent included in the carton.

Selection Chart			
Filtered	8 L/h	15 L/h	5 L/h
	5-12 People*	12-26 People*	0-5 People*
No	UB1	UB2	UB3
Yes	UB1F	UB2F	UB3F

\* Approximate figures only




# WR Series Near Drinking Point Chiller

This 'out-of-the-way' water cooler is designed for installation adjacent to a drinking point - yet hidden from sight, and will supply to two bubblers.

**Contact us for a comprehensive list of parts available for this model.**

## Specifications

Type	Wall Mounted
Max Cooling (L/h)	26
Outlet Temperature	Cold (10°C)



# UT Series Under Trough Water Chiller

Robust Heavy Duty Under Trough (or remote) Water Chiller delivers 26 litres of chilled water per hour. This extremely versatile product has a huge variety of applications. Ideal for schools, universities, mining camps or where a large volume of water is required Simple to install in just about every application.

**Contact us for a comprehensive list of parts available for this model.**

## Specifications

Type	Wall Mounted
Max Cooling (L/h)	25
Outlet Temperature	Cold (10°C)
Refrigeration	250 gm - R134a
Performance	ARI 1010-94 STANDARD
Warranty	1 year - comprehensive coverage, 5 years - compressor replacement.



# IB Series Recessed Water Cooler

## The Perfect Water Cooling Solution for High Traffic Areas

Being recessed into a wall this model is perfect for installation in high traffic areas such as corridors in hospitals, schools, airports and public buildings. Featuring both a bubbler and a jug filler, this unit offers easy access to chilled water for quick glass or bottle refills.

Contact us for a comprehensive list of parts available for this model.



### Specifications

Product Code	IBWR
Max Cooling (L/h)	26
Cabinet	Stainless Steel
Filtered	No
Type	Wall Recessed
Outlet Temperature	Cold (10°C)

The advertisement features a background image of a modern, sleek, chrome-finished water dispenser. In the foreground, there are two glasses: one containing a golden beverage with a lime wedge garnish, and another containing clear water. The overall aesthetic is clean and professional, emphasizing the product's role in providing instant chilled and boiling water.

**H<sub>2</sub>O**presto

# INSTANT CHILLED & BOILING WATER


The Aqua Cooler **H2OPresto** is an innovative drink system that instantly dispenses chilled and filtered or boiling water at the touch of a button.



Aqua Cooler is Australian-owned and its products are proudly designed and manufactured in Australia.

Your Partner in Cool.

**AQUA  
COOLER**



Australia's largest and leading  
manufacturer of drinking water coolers  
and industrial process water chillers

## About Us

Aqua Cooler is a proudly Australian-based and -owned manufacturer of drinking water coolers and industrial process water chillers. We are based in Chester Hill, NSW and employ over 30 factory workers, technicians, sales and support staff.

When you purchase an Aqua Cooler product, you are safely relying on 50+ years of history and experience in the industry. No other brand in the Australian market can offer the same attention to detail and quality. When you see the Aqua Cooler logo you can have complete confidence that only the highest quality materials were used and that it was made by workers with the most experience and knowledge in the industry.

Don't accept anything but the absolute best. Don't accept anything but an Aqua Cooler product.

## Bottled Water Coolers

Our freestanding bottled water coolers are reliable with a quality design that suits home or office use. Available with two taps for refreshing cool chilled water, or for those that prefer ambient drinking water, room temperature cook water.

## Mains Connected Water Coolers

Our Mains Connected water coolers offer flexibility with a wide range of different styles and configurations available to suit any requirement.

## Our Mission

It is our mission to be Australia's first choice when it comes to water cooler related products. And for our products to be known within Australia and all around the world for their excellence in quality, performance and reliability.

## Our Values

Our values are centred around loyalty, growth, energy and integrity, and built upon a foundation of team work.



## Member of the ABWI

Aqua Cooler is a long-standing member of the Australasian Bottle Water Institute Inc. ABWI, the peak industry council and certifying organisation for water bottlers in Australia.



# H<sub>2</sub>Opresto

Crystal clear, pure filtered  
water instantly every time.



**AQUA  
COOLER**




H2OPresto by Aqua Cooler is an innovative drink system designed to sit out of sight and dispense chilled and filtered or boiling water on demand for a variety of applications.

## Key Features

- Simple and safe to use, with automatic shutdown.
- Specifically designed for space-saving, under-bench installation.
- Fully insulated to achieve maximum performance and energy efficiency.
- Complete control within 0.2°C of your desired temperature.
- Flexible hot water setting between 100°C and 40°C
- Reliable parts and expert construction for a long life.
- Easy filter replacement with a single twist.

## Configurations

The H2OPresto is available in different capacities of the following two configurations.



## Out of Sight

The space-saving H2OPresto hides out of sight under the bench where it is out of the way. You'll forget it's even there until you take a sip of the crystal clear, filtered water.

## Home or Office

The stylish design is perfectly suited for home or office use. Large or small, office or factory, the H2PrestO offers pure chilled and filtered water every time.



## Technical Features

- Models from 25-240 cups of boiling water per hour.
- Models from 25-175 glasses of chilled, filtered water per hour .
- No need for direct electrical connection. Requires only a simple mains connection.
- Electronic control panel for immediate and accurate fault finding makes maintenance and repairs a breeze.
- Sleep mode ensures the unit turns of automatically when not in use to save power.
- Hot water can be set between 100°C and 40°C for complete flexibility.
- 5 year warranty offers excellent peice of mind.
- Incredibly easy installation and compact under-bench design.
- Designed to be connected to the mains water supply of 172kPa.
- Filter delivers ultra-polished water.
- Instant and easy filter replacement procedure. A single twist is all that is needed.



# Standard Range

Our standard range suitable for small home and office applications.

Product Code	Boiling Cups / Hour	Chilled Glasses / Hour	Filtered Ambient	Dimensions
H2OP-BC-50/25	50	25	-	280 x 455 x 355
H2OP-BA-50	50	-	Unlimited	250 x 350 x 335

# High-Demand Range

Our high-demand range for situations that require higher throughput. The same innovative features from our standard range mirrored in the heavy-duty commercial range.

Product Code	Boiling Cups / Hour	Chilled Glasses / Hour	Filtered Ambient	Dimensions
H2OP-BC-75/25	75	25	-	280 x 455 x 355
H2OP-BC-100/75	100	75	-	394 x 464 x 335
H2OP-BC-160/125	160	125	-	394 x 464 x 335
H2OP-BC-160/175	160	175	-	394 x 464 x 335
H2OP-BC-240/175	240	175	-	394 x 464 x 335
H2OP-BA-160	160	-	Unlimited	250 x 350 x 335
H2OP-BA-240	240	-	Unlimited	250 x 350 x 335





## Our Promise

Aqua Cooler has been in the business of water coolers for over 50 years. Our promise to you is to provide high-quality, long-lasting, and high-performance water cooling products designed and made in Australia by Australians.