

AQUA COOLER

Australia's largest and leading manufacturer of drinking water coolers and industrial process water chillers

About Us

Aqua Cooler is a proudly Australian-based and -owned manufacturer of drinking water coolers and industrial process water chillers. We are based in Chester Hill, NSW and employ over 30 factory workers, technicians, sales and support staff.

When you purchase an Aqua Cooler product, you are safely relying on 50+ years of history and experience in the industry. No other brand in the Australian market can offer the same attention to detail and quality. When you see the Aqua Cooler logo you can have complete confidence that only the highest quality materials were used and that it was made by workers with the most experience and knowledge in the industry.

Don't accept anything but the absolute best. Don't accept anything but an Aqua Cooler product.

Bottled Water Coolers

Our freestanding bottled water coolers are reliable with a quality design that suits home or office use. Available with two taps for refreshing cool chilled water, or for those that prefer ambient drinking water, room temperature cook water.

Mains Connected Water Coolers

Our Mains Connected water coolers offer flexibility with a wide range of different styles and configurations available to suit any requirement.

Our Mission

It is our mission to be Australia's first choice when it comes to water cooler related products. And for our products to be known within Australia and all around the world for their excellence in quality, performance and reliability.

Our Values

Our values are centred around loyalty, growth, energy and integrity, and built upon a foundation of team work.

Member of the ABWI

Aqua Cooler is a long-standing member of the Australasian Bottle Water Institute Inc. ABWI, the peak industry council and certifying organisation for water bottlers in Australia.



M Series Mains-Connected Coolers

Sturdy and Stylish Design Built to Industrial Standards for Reliability and High Demand

M Series water coolers are Aqua Cooler's most popular mains-connected water cooler. Featuring a sturdy design with stainless steel top, these coolers are both stylish and reliable.

The M Series units can be found in schools, construction sites, hospitals, factories and many other environments where a drinking water outlet is required.

The bubbler is rated to supply 1.7 litres per minute at mains water pressure of between 140 and 700kPa. An automatic self-regulating control is fitted to overcome varying mains pressure.

A taste and odour filter is fitted (on specific models - see selection chart). This compact filter removes taste, odour and chlorine. The filter is a proprietary, carbon-block filter of greater density with a 5 micron filtration pad to prevent carbon and sediment bypass. The snapseal filter features an SQC Sanitary Quick Change design for easy installation and cartridge changes. A dual "O" ring, a bayonet lock system, ensures product performance. These filters are for use with potable water only.

The front panel removes to give instant access to all components and controls. "Hassle Free" filter changes and services can be undertaken without disconnecting the plumbing.

Contact us for a comprehensive list of parts available for this model.



Selection Chart							
Cabinet	Filtered	10 L/h		19 L/h		26 L/h	
		0 - 15 People (Approximately)		15 - 40 People (Approximately)		40 - 80 People (Approximately)	
		Bubbler	w/ Glass Filler	Bubbler	w/ Glass Filler	Bubbler	w/ Glass Filler
Colour-Bond	No	M2	M3	M4	M5	M10	M11
	Yes	M2F	M3F	M4F	M5F	M10F	M11F
Stainless Steel	No	N/A	N/A	M4SS	M5SS	M10SS	M11SS
	Yes	N/A	N/A	M4FSS	M5FSS	M10FSS	M11FSS



Stainless Steel model available with and without Glass Filler



Colour-Bond model available with and without Glass Filler

Specifications	
Type	Free Standing
Connections	Inlet - 1/2" male BSP Outlet - 40mm female FPVC pipe
Reservoir	1.5 L - 304 stainless steel
Refrigeration	M2/M3 - 250 gm - R134A M4/M5 - 190 gm - R134A M10/M11 - 127 gm - R134A
Outlet Temperature	Cold (10°C)
Temperature Control	Factory pre-set
Compressors	M2/M3 - 1/8 hp capacity 138 watts M4/M5 - 1/5 hp capacity 230 watts M10/M11 - 1/4 hp capacity 430 watts
Condenser	Copper tube and expanded aluminium fin
Electrical	240 volts, 50Hz w/ 2 metre cable
Performance to ARI 1010-94 Standard	Inlet water - 26.7°C, Outlet water - 10°C, Ambient air - 32.2°C
Weight (Packed)	M2/M3 - 26 kg, M4/M5 - 28 kg, M10/M11 - 30 kg
Dimensions (mm)	350 L x 350 W x 1100 H
Warranty	1 year - comprehensive coverage, 5 years - compressor replacement.
Notes	With water pressure above 700 kpa, a pressure reduction valve should be fitted.

WM Series Wall-Mounted Drinking Water Fountain

Out-of-the-Way Industrial Quality Water Coolers

Mounted on the wall and especially designed for areas where floor space is highly valued or for small spaces, the WM Series is ideal for easy access by people in wheelchairs or for children.

Contact us for a comprehensive list of parts available for this model.



Specifications

Type	Wall Mounted
Max Cooling (L/h)	8
Outlet Temperature	Cold (10°C)
Reservoir	0.5 L
Refrigeration	170 gm - R134a
Connections	Inlet - 1/2" male BSP Drain Outlet - 5/8" BSP
Water Flow Control	Bubbler - 1.7 L / minute
Temperature Control	Factory pre-set
Compressor	1/8 hp - 90 watt
Condenser	Copper tube w/ aluminium fin
Electrical	240 volts - 50 Hz w/ 2 metre cable
Performance	ARI 1010-94 STANDARD
Weight (Packed)	31 kgs
Dimensions (mm)	300 L x 300 W x 550 H
Warranty	1 year - comprehensive coverage, 5 years - compressor replacement.

- Notes
1. Minimum 75 mm on both sides to facilitate air-flow.
 2. With water pressure above 700 kPa, a pressure reduction valve should be fitted.

Selection Chart

Cabinet	Bubbler	w/ Glass Filler
Colour-Bond	WM2	WM3
Stainless Steel	WM2SS	WM3SS



Wall-mounted side showing mounting points



Available in Colour-Bond and Stainless Steel, with and without Glass Fillers